


FLANGES

INDUSTRY STANDARD CLASS 125/150 WELD NECK FLANGES



All dimensions are in inches.


These flanges will be supplied with a 1/16" raised face unless otherwise specified.

Flat face option available.

Nominal Pipe Size	Outside Diameter (O)	Thickness (T)	Overall Thickness (Y)	Point of Weld (A)	Hub Diameter (X)	Inside Diameter (B)	Approximate Weight (lbs)	Number of Bolt Holes	Diameter of Bolt Holes	Diameter of Bolt Circle (C)
inch	inch	inch	inch	inch	inch	inch	lbs	count	inch	inch
26"	34.25"	2.00"	5.00"	26.00"	28.50"	Specified by purchaser	260	24	1.38"	31.75"
28"	36.50"	2.06"	5.06"	28.00"	30.75"		295	28	1.38"	34.00"
30"	38.75"	2.13"	5.13"	30.00"	32.75"		340	28	1.38"	36.00"
32"	41.75"	2.25"	5.25"	32.00"	35.00"		410	28	1.63"	38.50"
34"	43.75"	2.31"	5.31"	34.00"	37.00"		440	32	1.63"	40.50"
36"	46.00"	2.38"	5.38"	36.00"	39.25"		495	32	1.63"	42.75"
38"	48.75"	2.38"	5.38"	38.00"	41.75"		570	32	1.63"	45.25"
40"	50.75"	2.50"	5.50"	40.00"	43.75"		620	36	1.63"	47.25"
42"	53.00"	2.63"	5.63"	42.00"	46.00"		710	36	1.63"	49.50"
44"	55.25"	2.63"	5.63"	44.00"	48.00"		750	40	1.63"	51.75"
46"	57.25"	2.69"	5.69"	46.00"	50.00"		800	40	1.63"	53.75"
48"	59.50"	2.75"	5.75"	48.00"	52.25"		870	44	1.63"	56.00"
50"	61.75"	2.75"	5.75"	50.00"	54.25"		900	44	1.88"	58.25"
52"	64.00"	2.88"	5.88"	52.00"	56.50"		1000	44	1.88"	60.50"
54"	66.25"	3.00"	6.00"	54.00"	58.75"		1100	44	1.88"	62.75"
60"	73.00"	3.13"	6.13"	60.00"	65.25"		1350	52	1.88"	69.25"
66"	80.00"	3.38"	6.38"	66.00"	71.50"		1775	52	1.88"	76.00"
72"	86.50"	3.50"	6.50"	72.00"	78.50"		2100	60	1.88"	82.50"
84"	99.75"	3.88"	6.88"	84.00"	90.50"		2825	64	2.13"	95.50"
96"	113.25"	4.25"	7.25"	96.00"	102.75"		3800	68	2.38"	108.50"

FLANGES

INDUSTRY STANDARD CLASS 125/150 SLIP-ON FLANGES



All dimensions are in inches.

These flanges will be supplied with a 1/16" raised face unless otherwise specified.

Flat face option available.

Nominal Pipe Size	Outside Diameter (O)	Thickness (T)	Overall Thickness (Y)	Hub Diameter (X)	Inside Diameter (B)	Approximate Weight (lbs)	Number of Bolt Holes	Diameter of Bolt Holes	Diameter of Bolt Circle (C)
inch	inch	inch	inch	inch	inch	lbs	count	inch	inch
26"	34.25"	2.00"	3.38"	28.50"	26.25"	235	24	1.38"	31.75"
28"	36.50"	2.06"	3.44"	30.75"	28.25"	270	28	1.38"	34.00"
30"	38.75"	2.13"	3.50"	32.75"	30.25"	305	28	1.38"	36.00"
32"	41.75"	2.25"	3.63"	35.00"	32.25"	375	28	1.63"	38.50"
34"	43.75"	2.31"	3.69"	37.00"	34.25"	400	32	1.63"	40.50"
36"	46.00"	2.38"	3.75"	39.25"	36.25"	450	32	1.63"	42.75"
38"	48.75"	2.38"	3.75"	41.75"	38.25"	530	32	1.63"	45.25"
40"	50.75"	2.50"	3.88"	43.75"	40.25"	570	36	1.63"	47.25"
42"	53.00"	2.63"	4.00"	46.00"	42.25"	650	36	1.63"	49.50"
44"	55.25"	2.63"	4.00"	48.00"	44.25"	690	40	1.63"	51.75"
46"	57.25"	2.69"	4.06"	50.00"	46.25"	730	40	1.63"	53.75"
48"	59.50"	2.75"	4.13"	52.25"	48.25"	800	44	1.63"	56.00"
50"	61.75"	2.75"	4.13"	54.25"	50.25"	830	44	1.88"	58.25"
52"	64.00"	2.88"	4.25"	56.50"	52.25"	920	44	1.88"	60.50"
54"	66.25"	3.00"	4.38"	58.75"	54.25"	1025	44	1.88"	62.75"
60"	73.00"	3.13"	4.50"	65.25"	60.25"	1250	52	1.88"	69.25"
66"	80.00"	3.38"	4.88"	71.50"	66.25"	1625	52	1.88"	76.00"
72"	86.50"	3.50"	5.00"	78.50"	72.25"	1925	60	1.88"	82.50"
78"	93.00"	3.88"	5.38"	84.50"	78.25"	2525	64	2.13"	89.00"
84"	99.75"	3.88"	5.38"	90.50"	84.25"	2600	64	2.13"	95.50"
90"	106.50"	4.25"	5.75"	96.75"	90.25"	3150	68	2.38"	102.00"
96"	113.25"	4.25"	5.75"	102.75"	96.25"	3275	68	2.38"	108.50"

FLANGES

INDUSTRY STANDARD CLASS 125/150 BLIND FLANGES



All dimensions are in inches.

These flanges will be furnished with a 1/16" raised face unless otherwise specified.

Flat face option available.

Nominal Pipe Size	Outside Diameter (O)	Thickness (T)	Approximate Weight (lbs)	Number of Bolt Holes	Diameter of Bolt Holes	Diameter of Bolt Circle (C)
inch	inch	inch	lbs	count	inch	inch
26"	34.25"	2.00"	260	24	1.38"	31.75"
28"	36.50"	2.06"	295	28	1.38"	34.00"
30"	38.75"	2.13"	340	28	1.38"	36.00"
32"	41.75"	2.25"	410	28	1.63"	38.50"
34"	43.75"	2.31"	440	32	1.63"	40.50"
36"	46.00"	2.38"	495	32	1.63"	42.75"
38"	48.75"	2.38"	570	32	1.63"	45.25"
40"	50.75"	2.50"	620	36	1.63"	47.25"
42"	53.00"	2.63"	710	36	1.63"	49.50"
44"	55.25"	2.63"	750	40	1.63"	51.75"
46"	57.25"	2.69"	800	40	1.63"	53.75"
48"	59.50"	2.75"	870	44	1.63"	56.00"
50"	61.75"	2.75"	900	44	1.88"	58.25"
52"	64.00"	2.88"	1000	44	1.88"	60.50"
54"	66.25"	3.00"	1100	44	1.88"	62.75"
60"	73.00"	3.13"	1350	52	1.88"	69.25"
66"	80.00"	3.38"	1775	52	1.88"	76.00"
72"	86.50"	3.50"	2100	60	1.88"	82.50"
84"	99.75"	3.88"	2825	64	2.13"	95.50"
96"	113.25"	4.25"	3800	68	2.38"	108.50"